DO NOT OPEN THIS TEST BOOKLET UNTIL YOU ARE ASKED TO DO SO

T. B. C. : AS – 2
Serial No. 05189

Test Booklet Series



TEST BOOKLET

SPECIAL RECRUITMENT OF A. S. O. MATHEMATICS

Time Allowed : 1 Hour

[Maximum Marks : 100]

: INSTRUCTIONS TO CANDIDATES :

- IMMEDIATELY AFTER THE COMMENCEMENT OF THE EXAMINATION, YOU SHOULD CHECK THAT THIS TEST BOOKLET DOES NOT HAVE ANY UNPRINTED OR TORN OR MISSING PAGES OR ITEMS ETC. IF SO, GET IT REPLACED BY A COMPLETE TEST BOOKLET OF THE SAME SERIES ISSUED TO YOU.
- 2. ENCODE CLEARLY THE TEST BOOKLET SERIES **A, B, C** OR **D**, AS THE CASE MAY BE, IN THE APPROPRIATE PLACES IN THE ANSWER SHEET USING BALL POINT PEN (BLUE OR BLACK).
- 3. You have to enter your Roll No. on the Test Booklet in the Box provided alongside. DO NOT write anything else on the Test Booklet.
- 4. This Test Booklet contains 50 items (questions). Each item (question) comprises four responses (answers). You have to select the correct response (answer) which you want to mark (darken) on the Answer Sheet. In case, you feel that there is more than one correct response (answer), you should mark (darken) the response (answer) which you consider the best. In any case, choose ONLY ONE response (answer) for each item (question).
- You have to mark (darken) all your responses (answers) ONLY on the separate Answer Sheet provided, by using BALL POINT PEN (BLUE OR BLACK). See instructions in the Answer Sheet.
- 6. All items (questions) carry equal marks. All items (questions) are compulsory. Your total marks will depend only on the number of correct responses (answers) marked by you in the Answer Sheet. There will be no negative marking for wrong answer.
- Before you proceed to mark (darken) in the Answer Sheet the responses to various items (questions) in the Test Booklet, you have to fill in some particulars in the Answer Sheet as per the instructions in your Admission Certificate.
- 8. After you have completed filling in all your responses (answers) on the Answer Sheet and after conclusion of the examination, you should hand over to the Invigilator the Answer Sheet issued to you. You are allowed to take with you the candidate's copy/second page of the Answer Sheet along with the Test Booklet after completion of the examination for your reference.

DO NOT OPEN THIS TEST BOOKLET UNTIL YOU ARE ASKED TO DO SO

- For any two positive integers r and
 HCF(r, s) × LCM(r, s) =
 - (A) r×s
 - (B) $r \times r s$
 - (C) $r+s\times s$
 - (D) None of the above
- 2. $5 \sqrt{3}$ is:
 - (A) Rational
 - (B) Irrational
 - (C) Rational and irrational both
 - (D) None of the above
- 3. Let p be a prime number. If p divides m², where m is a positive integer then:
 - (A) p does not divide m
 - (B) mp is always an even number
 - (C) p divides m
 - (D) None of the above
- 4. $8\sqrt{15} \div 2\sqrt{3} =$
 - (A) $3\sqrt{5}$
 - (B) $4\sqrt{5}$
 - (C) $4\sqrt{3}$
 - (D) $4\sqrt{15}$
- The value of 4725-2879 by rounding each number to the nearest hundred is
 - (A) 1900
 - (B) 1846

- (C) 1800
- (D) None of the above
- 6. Raj completes $\frac{1}{6}$ of his project in $3\frac{1}{2}$ days. How long would he take to complete the whole project?
 - (A) 21 days
 - (B) 7/12 days
 - (C) 7/3 days
 - (D) 18 days
- 7. If the HCF of 210 and 55 is expressible in the form 210 × 5 + 55y then y =
 - (A) 19
 - (B) 5
 - (C) 55
 - (D) 19
- 8. In a school there are two sections —
 Section G and Section H of class X.
 There are 90 students in Section G
 and 144 students in section H.
 Determine the minimum number of
 books required for their class library
 so that they can be distributed
 equally among the students of
 Section G or Section H.
 - (A) 18
 - (B) 720
 - (C) 90
 - (D) 144

- 9. The product of two 2 digit numbers is 1938. If the product of their unit's digits is 28 and that of ten's digits is 15, then find the numbers:
 - (A) 37, 54
 - (B) 36, 54
 - (C) 19,38
 - (D) 34, 57
- 10. 280% of a number is 560. What is the number?
 - (A) 200
 - (B) 280
 - (C) 1568
 - (D) None of the above
- 11. How many two digit numbers are divisible by 3?
 - (A) 30
 - (B) 20
 - (C) 40
 - (D) None of the above
- 12. 1+2+3+....+20=
 - (A) 190
 - (B) 210
 - (C) 400
 - (D) None of the above
- 13. If the sum of first 14 terms of an Arithmetic Progression is 1050 and

its first term is 10 then the 20th term is :

- (A) 200
- (B) 100
- (C) 1050
- (D) None of the above
- 14. Whether 301 is a term in the list of numbers 5, 11, 17, 23,
 - (A) Yes
 - (B) Yes if we have total number of terms as 51
 - (C) No
 - (D) None of the above
- 15. A quadratic equation $ax^2 + bx + c = 0$ has no real root if:
 - (A) $b^2 4ac > 0$
 - (B) $b^2 4ac = 0$
 - (C) b 4ac < 0
 - (D) $b^2 4ac < 0$
- 16. A motor boat whose speed is 18 km/ h in still water take 1 hour more to go 24 km upstream than to return downstream to the same spot. Then the speed of the stream is:
 - (A) 8 km/h
 - (B) 24 km/h
 - (C) 23 km/h
 - (D) 6 km/h

- 17. Roots of the quadratic equation $2x^2 2\sqrt{2}x + 1 = 0 \text{ are } :$
 - (A) $\left(\frac{1}{\sqrt{2}}, 2\right)$
 - (B) $\left(\frac{1}{\sqrt{2}}, 3\right)$
 - (C) $\left(\frac{1}{\sqrt{2}}, \frac{1}{\sqrt{2}}\right)$
 - (D) None of the above
- 18. For what values of p does the pair of equations given below has unique solution:

$$4x + py + 8 = 0$$
; $2x + 2y + 2 = 0$

- (A) p = 4
- (B) $p \neq 8$
- (C) For all values of p except 4
- (D) None of the above
- 19. 4 chairs and 3 tables cost Rs. 2100 and 5 chairs and 2 tables cost Rs. 1,750, then the cost of a chair is:
 - (A) Rs.150
 - (B) Rs. 500
 - (C) Rs. 15
 - (D) None of the above
- 20. If α and β are the zeroes of the quadratic polynomial $f(x) = x^2 px + q$

then
$$\frac{1}{\alpha} + \frac{1}{\beta} =$$

- (A) pq
- (B) q/p
- (C) p/q
- (D) None of the above

- 21. $g(y) = 2y^3 + 5y 7$ is a:
 - (A) Cubic polynomial
 - (B) Quadratic polynomial
 - (C) Linear polynomial
 - (D) None of the above
- 22. The sum of the squares of zeroes of the quadratic polynomial $f(x) = x^2 - 8x + k$ is 40 then value of k is:
 - (A) 14
 - (B) 3
 - (C) 8
 - (D) 12
- 23. Verify whether 2 and 0 are zeroes of the polynomial $x^2 2x$:
 - (A) Yes
 - (B) No
 - (C) Yes if $x^2 = 3$
 - (D) None of the above
- 24. The remainder when $x^4 + x^3 2x^2 + x + 1$ is divided by (x 1) is:
 - (A) 1
 - (B) 3
 - (C) 2
 - (D) 0
- 25. The value of k, if (x 1) is a factor of $4x^3 + 3x^2 4x + k$ is :
 - (A) 0
 - (B) -1
 - (C) -2
 - (D) -3

- 26. A fort had provisions of food for 300 men for 90 days. After 20 days, 50 men left the fort. How long would the food last at the same rate?
 - (A) 108 days
 - (B) 70 days
 - (C) 84 days
 - (D) 48 days
- 27. A and B together can do a piece of work in 12 days. While B alone can finish it in 30 days. In how many days can A alone finish the work?
 - (A) 18 days
 - (B) 20 days
 - (C) 30 days
 - (D) 12 days
- 28. At what rate percent per annum will a sum of Rs. 2,000 amount to Rs. 2,205 in 2 years, compounded annually?
 - (A) 6
 - (B) 20
 - (C) 2
 - (D) 5
- 29. A trader marks his goods at 40% above the cost price and allows a discount of 25%. What is his gain percent?
 - (A) 5
 - (B) 15
 - (C) 2
 - (D) 65

- 30. Area of a regular hexagon each of whose sides measures 6 cm is :
 - (A) 92.528 cm²
 - (B) 93.528 cm²
 - (C) 36 cm²
 - (D) None of the above
- 31. The lengths of tangents drawn from an external point to a circle are:
 - (A) Parallel
 - (B) Not equal
 - (C) Equal
 - (D) None of the above
- 32. The area of the sector of a circle with radius 4 cm and of angle 30° is (use $\pi = 3.14$) approximately:
 - (A) 4.19 cm^2
 - (B) 16 cm²
 - (C) 120 cm²
 - (D) None of the above
- 33. Length of an arc of a sector of angle θ for a circle with radius r is :
 - $(A) \quad \frac{360\theta}{2\pi r}$
 - (B) $\frac{r\theta}{360\pi}$
 - (C) $\frac{2\pi r\theta}{360}$
 - (D) None of the above

- 34. Two sides of a triangle are 8 cm and 11 cm respectively and its perimeter is 32 cm then the area of the triangle is:
 - (A) $11\sqrt{2} \text{ cm}^2$
 - (B) $30\sqrt{2} \text{ cm}^2$
 - (C) $11\sqrt{30} \text{ cm}^2$
 - (D) $8\sqrt{30} \text{ cm}^2$
- 35. If the sum of a pair of opposite angles of a quadrilateral is 180°, then the quadrilateral is:
 - (A) Asymptote
 - (B) Cyclic
 - (C) Cubic
 - (D) None of the above
- 36. Surface area of a cuboid whose length, breadth and height are 15 cm,10 cm and 20 cm respectively is :
 - (A) 6000 cm²
 - (B) 1300 cm^2
 - (C) 3000 cm^2
 - (D) None of the above
- 37. Find the curved surface area of a right circular cone, whose slant height is 10 cm and base radius is 7 cm (take $\pi = 22/7$):
 - (A) 22 cm²
 - (B) 140 cm²
 - (C) 220 cm²
 - (D) 70 cm²
- 38. The height and the slant height of a cone are 21 cm and 28 cm

- respectively, then the volume of the cone is (take $\pi = 22/7$):
- (A) 154 cm³
- (B) 1848 cm³
- (C) 84 cm³
- (D) 7546 cm³
- 39. A hemispherical bowl has a radius 3.5 cm. What would be the volume of water it would contain ? (take $\pi = 22/7$):
 - (A) 84.8 cm^3
 - (B) 89 cm³
 - (C) 89.8 cm³
 - (D) None of the above
- 40. A cone of height 24 cm and radius of base 6 cm is made up of modeling clay. A child reshapes it in the form of a sphere. Then the radius of the sphere will be:
 - (A) 2 cm
 - (B) 4 cm
 - (C) 12 cm
 - (D) 6 cm
- 41. The length of the longest pole that can be put in a room of dimension 10 m by 10 m by 5 m is :
 - (A) 25 m
 - (B) 20 m
 - (C) 500 m
 - (D) 15 m

- 42. A cube has total surface area 486 cm². Then volume of the cube is:
 - (A) 829 cm³
 - (B) 486 cm³
 - (C) 720 cm^3
 - (D) None of the above
- 43. The bar graph is a pictorial representation of numerical data in the form of rectangles of :
 - (A) Equal width or varying heights
 - (B) Equal width and varying heights
 - (C) Equal width and constant heights
 - (D) None of the above
- 44. The number of times a particular observation occurs in a given data is called its:
 - (A) Range
 - (B) Frequency
 - (C) Group
 - (D) None of the above
- 45. The height (in cm) of 9 students of a class are as follows:

155, 160, 145, 149, 150, 147, 152, 144, 148.

The median of this data is:

- (A) 147 cm
- (B) 148 cm
- (C) 150 cm
- (D) 149 cm
- 46. A coin is tossed 150 times and head is obtained 71 times. Now, if the coin is tossed at random, what is the probability of getting a tail?
 - (A) 70/150

- (B) 1
- (C) 71/150
- (D) 79/150
- 47. Suppose we throw a die once, what is the probability of getting a number greater than 4?
 - (A) 1/6
 - (B) 3
 - (C) 4/6
 - (D) 1/3
- 48. A box contains 3 blue, 2 white and 4 red marbles. If a marble is drawn at random from the box, then what is the probability that it will be a red?
 - (A) 1/9
 - (B) 1/3
 - (C) 2/9
 - (D) None of the above
- 49. An unbaised die is thrown, what is the probability of getting an even number?
 - (A) 1/6
 - (B) 1/2
 - (C) 1/3
 - (D) None of the above
- 50. A card is drawn at random from a well shuffled deck of 52 cards. Find the probability of getting a club.
 - (A) 1/26
 - (B) 1/3
 - (C) 1/52
 - (D) None of the above

SPACE FOR ROUGH WORK



AS - 2